


Master Aluminum Request For Quote / Order Form Non Impact Foil Blade Panels

1 3/4 inch Blade Spacing


Co. Name _____
 Street Address _____
 City; State; Zip _____
 Your Phone Number _____
 Cell Number _____
 Fax Number _____
 Email Address _____



Contact Person _____
Job Name _____
PO# _____

**No Hinges
No Hardware
Panels ONLY**

Special Instructions



Enter color on the appropriate line

Standard Color _____
 Colors with 30%-40% Gloss _____
 Custom RAL Color _____
 Custom Color Match _____

Epoxy Primer Enter Yes of NO _____
 Sealant Enter Yes of NO _____

yes

Recommended Mullion Spacing	
No Mull	up to 45"
1 Mull	45" to 90"
2 Mulls	90" to 135"
3 Mulls	135" to 180"

Can be used when horizontal stiles are required

No Of Identical Panels	Item	Enter Finished Width Of Panel	Enter Finished Height of Panel	Enter Number. of Vertical Mullions Per Panel	Number of Horizontal Mullions per panel	measurement from top of shutter to center of horizontal mullion	Number of Tilt Bars	Enter Number of Arched Panels	Enter Height of Arch	Acceptable Panel Heights		
					For Mullions add 3/4" to Height							
										Add 3/4" to height below for each horizontal mullion		

(See Chart)

	A									13	42.75	72.5
	B									14.75	44.5	74.25
	C									16.5	46.25	76
	D									18.25	48	77.75
	E									20	49.75	79.5
	F									21.75	51.5	81.25
	G									23.5	53.25	83
	H									25.25	55	84.75
	I									27	56.75	86.5
	J									28.75	58.5	88.25
	K									30.5	60.25	90
	L									32.25	62	91.75
	M									34	63.75	93.5
	N									35.75	65.5	95.25
	O									37.5	67.25	97
	P									39.25	69	98.75
	Q									41	70.75	100.5

Additional Notes:

Master Aluminum Ph 727-725-1744 Fax 727-726-6134 Web Address: www.masteralum.com

